



MOKAY[®]
— COATING EXPERT —

DIY Series
Metal *Art*
Q2



DIY Series

Metal *Art* Q2

MKQ2 01-15

MOKAY® METAL ART Q2 embodies sophistication and innovation, boasting a specially crafted coating system that harmonizes exclusive European design with state-of-the-art technology.

Available Colors



Appearance

- Low Sheen ☒ ☒ ☒ ☒ ☐ High Sheen
- Smooth Texture ☒ ☐ ☐ ☐ ☐ Rough Texture
- Matte ☒ ☒ ☒ ☒ ☐ Metallic

Features

-  Water Resistance
-  Anti-Fungal Protection
-  Low VOC & Odorless
-  Artistic finish & colors
-  Effortless Maintenance
-  Eco-friendly & Water-based
-  Long-Lasting Beauty

Metal Art Q2 Application Technique

Begin by masking off the edges of the surface using tape, paper or plastic to protect areas not intended for painting.

Thoroughly clean the substrate to remove any grease, dirt and dust, ensuring a clean, dry and solid surface for smooth application.



Primer

Apply 1-2 layers of primer onto the substrate with roller. Let it cure for 1 hour.



Texture & Pattern

Continuously repeat the motion until desired texture is achieved, ensuring it's completed before the paint dries.



Texture Paint Q2

Apply first layer of Q2 texture paint onto the substrate evenly with a trowel, make sure to cover the entire surface.



Texture & Pattern

Apply second layer of Q2 texture paint with trowel, and perform random direction motion to create desired texture.



Recommend Tools: Roller, Plastic Trowel

IMPORTANT:

Color variations may occur based on application technique and the quantity of material used.

8L DIY Pack



Material	Packing	Coverage (per liter)
Primer	4L	Coverage up to 280sqft
Texture Paint	4L	

2L DIY Pack



Material	Packing	Coverage (per liter)
Primer	1L	Coverage up to 70sqft
Texture Paint	1L	



mokaymalaysia.com

   **mokaymalaysia**

 **+604-611 7363 / +604-645 2873**

 **info@mokaymalaysia.com**



**4L, Tingkat Kenari, Sungai Ara,
11900, Bayan Lepas, Penang,
Malaysia.**



* The product images in this catalog may vary slightly due to differences in lighting conditions and printing processes.
* We recommend examining actual product samples before making an order.